DSP504B-RF2



Product

LED Display, 5" Digits

Description:

Wireless 2.4GHz Four-Digit Display, 5" High Digits, Red LEDs, Metal Frame.

Item: DSP504B-RF2

UPC: 788581659670

EAN: 0788581659670

Stock Status: Usually in stock.

Dimensions: 21.5" x 8" x 2.5"

Weight: 5.9 lbs. **MSRP:** \$645.00

Specifications

- Two RJ45 modular connectors for RS422 serial data transmission and reception.
- RJ11 modular connector for remote Start, Stop and Reset inputs.
- Power connector (2.1x5.5mm).
- Test button for testing and configuration.
- Power requirements: 10-15VAC or 12-20VDC.
- Current consumption: 100mA maximum per digit.
- Construction: Metal enclosure, black powder coated finish with transparent red acrylic front.

Mounting methods

- Standard mounting is 2 key hole slots spaced 16 inches apart for wall mounting.
- There are screws at either end of the displays where D-Rings can be added. D-Rings are NOT included and may be ordered separately.
- 1/4-20 nuts on the bottom of the unit for attaching a tripod adapter or feet. The feet and tripod adapter is NOT included and may be ordered separately.

• The display has holes in the top for adding a handle. The handle is NOT included and may be ordered separately.

Features

- Four-digit count up timer settable to Day:Hour, Hour:Min, Min:Sec or Sec.Hundredths.
- Four-digit count down timer settable to Day:Hour, Hour:Min or Min:Sec.

In the Box

- DSP504B-RF2 Wireless Wall display with five inch high digits
- WT12VAC1200MA-RA 12V AC, 1200mA transformer
- RC Reference card
- WD Wiring diagram

Required Accessories

Choose one of the following controllers or keypads.

- TMR225B8-RF2 Wireless Count up/down timer with four-digit LED display 8 buttons and a knob.
- TMR216B-RF2 Wireless Count up/down timer with six-digit LED display 18 buttons and a knob.
- KP219A-RF2 Wireless 18-button keypad with knob

Optional Accessories

Connect any optional accessory that has a wireless receiver. Examples:

- DSP254B-RF2 Wireless Wall display with 2-1/3" inch high digits
- RYG14AB-RF2 Green-Yellow-Red Indicator lamp module with wireless transceiver.



